

Differentiation – Q5 [8 marks](23/5/21)

Exam Boards

OCR : AL (Year 2)


MEI: AL (Year 2)

AQA: AL (Year 2)

Edx: AL (Year 2)


Question [8 marks]

A dog is being taken for a walk on a path round the edge of a ploughed field. The owner starts at A (see diagram), and walks it a distance L along one side of the field, and then (after turning a right angle) a distance kL along the next side. At B , the dog is let off the lead, but decides to run back to A , along the route indicated by arrows on the diagram (ie a stretch of ploughed field, followed by a stretch of path). If the dog's speed is reduced by $\lambda\%$ when running on the ploughed field, compared with the path, find an expression for the angle θ that minimises the time taken for it to return to A .



Question [8 marks]

A dog is being taken for a walk on a path round the edge of a ploughed field. The owner starts at A (see diagram), and walks it a distance L along one side of the field, and then (after turning a right angle) a distance kL along the next side. At B , the dog is let off the lead, but decides to run back to A , along the route indicated by arrows on the diagram (ie a stretch of ploughed field, followed by a stretch of path). If the dog's speed is reduced by $\lambda\%$ when running on the ploughed field, compared with the path, find an expression for the angle θ that minimises the time taken for it to return to A .



Solution

The time taken by the dog over each stretch is inversely proportional to its speed, and so the total time taken by the dog is proportional to

$$T = (L - kL \tan \theta) + \frac{1}{1 - \frac{\lambda}{100}} \cdot \frac{kL}{\cos \theta} \quad [3 \text{ marks}]$$

Writing $f = \frac{1}{1 - \frac{\lambda}{100}}$, a stationary point for the time occurs when

$$\frac{dT}{d\theta} = 0, \text{ so that } -kL \sec^2 \theta + f k L \sec \theta \tan \theta = 0 \quad [2 \text{ marks}]$$

and, as $\sec\theta \neq 0$, $-\sec\theta + f\tan\theta = 0$

$\Rightarrow f\sin\theta = 1$, [1 mark]

so that $\sin\theta = 1 - \frac{\lambda}{100}$,

and $\theta = \arcsin\left(1 - \frac{\lambda}{100}\right)$, as $0 < \theta < 90^\circ$ [2 marks]

[Note that this doesn't depend on k .]

[Check: If $\lambda = 100$, we would expect the dog to not cut a corner at all; ie $\theta = 0^\circ$]