

## Impulse & Momentum Exercises (2 pages; 23/8/18)

(1) Two particles of the same mass are travelling towards each other on a straight line, on a smooth surface. Particle A has a speed which is  $k$  times that of particle B (where  $k > 0$ ).

(i) Describe the motion of the particles after they have collided, in the case where  $e = 1$ .

(ii) In the case where  $k = 2$ , what condition must apply to  $e$ , in order for the directions of the two particles after collision to be the same as in (i)?

(iii) If  $e = \frac{1}{3}$ , what condition must apply to  $k$ , in order for the directions of the two particles after collision to be the same as in (i)?


(iv) What happens if  $k = 2$  and  $e = \frac{1}{3}$ ?

(2) For two balls colliding directly on a smooth surface, show that kinetic energy is conserved when  $e = 1$ .

(3) A spaceship has a geostationary orbit about the earth (ie it stays above the same point on the earth's surface). An astronaut walks from one end of the spaceship to the other. Describe what happens, relative to the earth's surface.

#### (4) Impulse on Rod

An impulse  $J$  is applied to one end of a thin, uniform rod of length  $2a$  and mass  $m$ , as shown below. Describe the resulting motion.



(5) A snooker ball is hit towards a cushion, with speed  $v$ , in such a way that it hits each of the four sides of the table. The coefficient of restitution between the ball and the cushions is  $e$ . Investigate the speed and direction of the ball.